











STATIC  
SENSITIVE  
DEVICE



BP1465      ISSUE 1






| RANGE     | I.F. OFFSET | D7 | D8 | D9 | D10 | D11 | D12 | D13 | D14 | D15 | D16 |
|-----------|-------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|
| MHz / kHz | -455 kHz    | 0  | 0  | 0  | 0   | 0   | 0   | 0   | 0   | 0   | 0   |
|           | -10-58MHz   | 0  | 0  | 0  | 1   | 0   | 1   | 0   | 1   |     |     |
|           | -10-60MHz   | 0  | 0  | 0  | 1   | 1   | 1   | 0   | 1   |     |     |
|           | -10-61MHz   | 0  | 0  | 0  | 1   | 1   | 1   | 1   | 0   |     |     |
|           | -10-62MHz   | 0  | 1  | 0  | 0   | 0   | 0   | 0   | 0   |     |     |
|           | -10-63MHz   | 0  | 1  | 0  | 0   | 0   | 0   | 1   | 0   |     |     |
|           | -10-65MHz   | 0  | 1  | 0  | 1   | 0   | 1   | 0   | 1   |     |     |
|           | -10-66MHz   | 0  | 1  | 0  | 1   | 0   | 1   | 1   | 1   |     |     |
|           | -10-69MHz   | 0  | 1  | 1  | 1   | 0   | 0   | 0   | 0   |     |     |
|           | -10-70MHz   | 0  | 1  | 1  | 1   | 0   | 1   | 0   | 1   |     |     |
|           | -10-72MHz   | 0  | 1  | 1  | 1   | 1   | 1   | 0   | 1   |     |     |
|           | -10-73MHz   | 0  | 1  | 1  | 1   | 1   | 1   | 1   | 1   |     |     |

| SKA |                  |
|-----|------------------|
| 1   | GND              |
| 2   | GND              |
| 3   | KEY              |
| 4   | GND              |
| 5   | +12V             |
| 6   | GND              |
| 7   | GND TO RANGE SW. |
| 8   | FM               |
| 9   | HF               |
| 10  | kHz              |







# FREQUENCY DISPLAY MODULE



STATIC  
SENSITIVE  
DEVICE

BP1464 ISSU